ISYO Aberdeen St Hawkesbury, ON K6A 1K7 Canada (e) (613) 632-5200



Purchasing Receipts

						9		9	:letoT								
0	4/21°09S	8102/01/p	Stock	# Z99650S		9	8102/11/5	q				2.75 Thick x 4.000 Wide: 9.000 Wide: 9.000 Wide: 6.061-7.000 Wide: 6.001-7.000 Wide: 6.001-7.000 Wide: 6.001-7.000 Wide: 6.000-7.000 Wide: 6.000 Wide:					
Aging sysG	Price/Unit	Receive	enima	ON	Accounting of dot	nantity	Date	Già	Equipment ID	Project	For Part No	Description	Purchased Item		ON	Supplier DV-10013A	

Plex 4/10/2018 1:23 PM Dart Dubois Pascal

PURCHASE ORDER PO39505

Dart Aerospace Ltd. 1270 Aberdeen St Hawkesbury, ON KEA 1K7 TAAG"

Tel (613) 632-5200

			voie, Chan ivoie@dart		noO oT-	did2		06	Fax: 450 377 56		
			0£ ¥	θN	: Terms:				1270 Aberdeen 3	:oT	dįų
	141	25600UO	S ON STOU	nents: QL	ımoƏ lsi				K6A 1K7 Canada Phone: 613-632-		
Extended	JinU		Received	Drder	Due	Items		Supplier			əui
Price \$173.90		Balance 2 ft	A thinnsup B 0	A Cuantify 2 A C			Description AISI 4140 Quenched & Tempered Steel Round Bar 4.000" Dis. : AISI 4140 Q&T Round : MAT'L: AISI 4130 QUENCHED & DUENCHED & ASTM 4140 QT OR ASTM 4140 QT OR ASTM 4140 QT OR ASTM 4142 QT ASTM 4142 QT ASTM 4142 QT	on heq	ክ ጾዋ 400.1-R4.000 40-R2.000		
							MAN L, ARSI 4140 MINIMUM ROCKWELL C = 20 Rc MAXIMUM ROCKWELL C = 38 Rc SPECIFICATION: ASTM A29, AMS 6529				
00.38£\$	\$64.16666/ft		19	Ĥ 9	81/11/4	Pemi	Thick x 4.000 Wide PURCHASE MATERIAL: 6061- TG/T62/T651 ALUMINUM SPECIFICATION: QQ-A- SECIFICATION: QQ-A- SECIFICATION: QQ-A- SEO/11 SE		000.4X037.S29T	1909W	1 8
							fi eceive fi	J	1		

Order Notes

Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please vis

Procurement Quality Clauses

1005 right of entry

A012 chemical and physical test report

A016 personnel qualification

A017 raw material identification (as applicable)

A041 quality management system A026 certification of material conformance

A042 dart notification by supplier

A043 retention of quality documents

www.dartaerospace.com for further explanation.

A048 counterfeit parts avoidance, detection, mitigation and disposition program

A049 supplier awareness

Plex 4/4/18 1:14 PM dart.lavoie.chantal

ACIER OUELLETTE INC.

DELIVERY - CLIENT Tél.: 450-377-4248 Mtl: 514-336-4248 Ext.: 800-667-4248 Fax: 450-377-5696 Mtl: 514-336-4246 Ext.: 866-456-4242 935, Boul. du Hâvre Salaberry de Valleyfield (Québec) J6S 5L1

CLI0001056 2018/04/05 Customer N° Date

2018/04/10 Delivery date

039505 Your order No Josianne Bourdon Processed by

Shipped to

, Ontario,

HAWKESBURY, Ontario, K6A 1K7

DART AEROSPACE LTD 1270, ABERDEEN ST.

Billed to

Salesman

Credit Terme Carrier

OUELLETTE VALLEYFIELD Net 30 Days

OUT

Passes Passes

Tél.: 613-632-5200	5
Att: CHANTAL LAVOIE	Delivery Route
	F-M
	Instruction

oute	
/ RC	
Ver	
Seli	T
_	
>	
I	
Ē	
댢	
E	
Ĕ	

	M/II
	OF C
and the	Weight

		N SOC
0	rage	-
		-

Product Description	Weight	Ą	M/11		PCS NB	18		Inter	lau.	Internal Use Only	=
		4.3	- 10	CMD	EXP	B/0	NI	-	s	v	
ALU PLATE 2 3/4 6061-t651 RANDOM NS	77.62	2.00	PI2_\$CLB		52		-				
PAL-2346061 10358					2		N O	APR 1	0 20	2018	

	4
	7
	6
	7
	T
A	-
-	Lo
7	5
	Ch'
1	4.
7	1
1	0

Fotal Weight (Lbs):

NIR: R-109516-6

"Acier Ouellette Inc." is the same as offered and honored by the manufacturer and his warranty is transferred by "Acier Ouellette Inc." to the client. The buyer hereby accepts to respect the following conditions: Net 30 days from billing date and the buyer accepts to pay administration charges of 2% per month (24% per annum) on all past due amounts over 30 days. Any default in respect with this contract will lead to payment by acceleration and permits to the seller, at his choice to claim for the balance due or the repossession of the goods sold. All claims must be made within five (5) days with this document enclosed. Any merchandise that has been damaged, cut or modified cannot be returned. All goods returned must be with our authorization and are subject to All sold and delivered materials remain the property of "Acier Ouellette Inc" until payment is made in full, complete and cashed. All lost materials are at the buyer's expense. The warranty offered by a 25% restocking charge. Conditions:

חבוואבו		
verified by :	345	
pared by.:		

	_
a)	
Ē	
Пше	
>	
2	
0	
ല	
ē	
€	
Delivered by	

tomer's Signature	
tomer's Signat	ure
1 2	stomer's Signat

Date

Total (\$CAD)



DELIVERY - CLIENT

CO00082163

	enocomer in	2	CLIOCOTOGO	1000	
J6S 5L1	Date		2018/0	1/05	
4248 Ext.: 800-667-4248 4246 Ext.: 866-456-4242	Deliver	y date	2018,	04/10	
	Your or	der N°	039505		
	Proces	ed by	Josiann	e Bourdon	
	Salesm	an			
	Carrier		OUELLE	TTE VALLEYFIEL	U
613-632-5200	Credit 1	erme	Net 30	Days	
	Page				
	_	CS NB		Internal Use	Only
	CMD E	KP B/0	IN	I S C	
2.00 PI2_\$CLB					-
ž					
		_			
Salaberry de Valleyfield (Québec) Tél.: 450-377-4248 Mtl: 514-336- Fax: 450-377-5696 Mtl: 514-336- Shipped to Ontario, Att : CHANTAL LAVOIE Tél.: Delivery Route 5 Weight Qt 77.62	e Valleyfield (Québec) J6S 5L1 77-4248 Mtl: 514-336-4248 Ext.: 77-5696 Mtl: 514-336-4246 Ext.:	e Valleyfield (Québec) J6S 5L1 77-4248 Mtl: 514-336-4248 Ext.: 800-667-4248 Pour o Proces Salesn TAL LAVOIE Tél.: 613-632-5200 Page eight Qty U/M CMD F 77.62 2.00 PIZ_\$CLB	e Valleyfield (Québec) J6S 5L1 77-4248 Mti: 514-336-4248 Ext.: 800-667-4248 77-5696 Mti: 514-336-4246 Ext.: 866-456-4242 Processed by Salesman Carrier Credit Terme Page Pight Qty U/M CMD EXP 77.62 2.00 PIZ_\$CLB Page	e Valleyfield (Québec) J6S 5L1 77-4248 Mtl: 514-336-4248 Ext.: 800-667-4248 77-5696 Mtl: 514-336-4246 Ext.: 866-456-4242 Processed by Salesman Carrier Credit Terme PCS NB eight Qty U/M CMD EXP B/O 77.62 2.00 P1Z_\$CLB	e valleyfield (Québec) 36S SL1 77-4248 MH: 514-336-4248 Ext.: 800-667-4248 77-5696 MH: 514-336-4246 Ext.: 866-456-4242 Your order N° Vour order N° Vour order N° Processed by Josianne Bourdon Salesman Carrier Credit Terme Voue 1 PCS NB T7.62 Z.00 PIZ_\$CLB PDES NB T7.62 Z.00 PIZ_\$CLB Date 2018/04/10 Your order N° O39505 Processed by Josianne Bourdon Internal U In
	J6S 5L1 4248 Ext.: 800-667-4248 4246 Ext.: 866-456-4242 97 U/M 2.00 PI2_\$CLB	Et: 800-667-4248 Et: 866-456-4242 Your o Proces Salesm Carrier Credit P12_\$CLB P12_\$CLB	L: 800-667-4248 E: 866-456-4242 Processed by Salesman Carrier Credit Terme PI2_\$CLB Delivery date Your order N° Processed by Frocessed by Carrier Credit Terme PCS NB EXP	Date t.: 800-667-4248	Lt: 800-667-4248 1: 866-456-4242 Delivery date 2018/04/ Your order № 303505 Processed by Josianne Salesman Carrier OUELLET Credit Terme Net 30 Da Page 1 U/M CMD EXP B/O IN PIZ_\$CLB IN

a 25% restocking charge. Prepared By:

Verified By:

Delivered By :

Time

Customer's Signature

Date

3

D

Total (\$CAD)

TEMPER: T651

CUSTOMER ANITAJS Olla 6/29/2017 TPOS BILIMARI AN SOCSIFOR OR Date: CERTIFICATE VIMETCO. CERTIFIED SRAC-IQNet 12066 :ON MILL TEST

: OLBERT METAL SALES LIMITED

BIFF OF DELIVERY : 80325428 CONTRACT/ORDER : 2196

TRUCKICONTAINER: GSTU 6265152

2.76"THX48.5"WDX144.5"LT

1909 : : ALUMINIUM PLATES.

LOTIDIMENSIONS (mm): 20177509

ACCORDING TO

ALLOY

MATERIAL

F FOOS; AMS 4029; AMS 40210; AMS 40209; AMS 40204; FOOS 4.250/17

MEA.	810.0	600.0	910.0	11.0	210.0	71.0	20.f	60.0	92.0	18.0				
IA	٨	PO 1		-	-	120	7.0	9£78807E						
		11		2	IN	Cr	6M	nM	Cu	9년	IS	НЭТАВ		
		T						9	ALYSIS 9	CAL AN	CHEMI	NCTUAL (
12 12		1.04			9°27 7'58		3,862,502		578£43;1		getaeorea			
		:sonp	ev berui	Meas		SC	NEIGHT	MELA	BSA	2		60577107		
.nim 8			35		min, max.		Specified values:							
		,xsm		XEU			Jose po	Maan	2					
%.gnol3 mm03			UTS KSI KSI			Бу	1 lbs = 0.4536 kg							

31	x: 0.	eM -lafo	Tenerito	20.0	ch-Max.:	Other- Ea					+	Remarks:
REM.	S0.0	20.0	Sr.0	0.25	50.0	\$0.0 26.0	8.0 5.1	31.0	0.15 0.4	7.0	8.0	Max.
MBR MBR MBR	810.0	600.0	910.0	11.0	310.0	71.0	30.1	60.0	92.0	15.0	7.0	. Min.
IA	٨	B Đ	11	υZ	IN	10	6Mg	nM.	cn	94 7	IS	BATCH 8239

ACCORDING TO GSTAR BODGS: AMS 4.208.3014; AMS 4027N-2008; ANEI HSS-2-2013; ASME 58208; 2015; AMS-OC-A-260/11:1997
We hareby certify that the material detailed revision has been produced and stated according to the requirements of the recording the recording the recording to where teachings. The differences between metal and at must not exceed 11°C. Please follow the recording the forminisms welts retaining, liters defined from the recording and attraigned of the material in Authoritical and attraigned that ALRO produce comples with REACH legislation no. 1907/2006 concenting the deglaration. Evaluation, Authoritically and Errational and CLP legislation no. 1272/2008 on discrification, is being and precision of chambers and mixtures.

oronis@onia aas ees ses of the aes easo (44) os as easo fits als ass entra lisatif att. on A. & ORLA

QUALITY CONTROL DEPT.

Cust: ACIER OUELLETTE DIV-VALLEYFIELD · nam / Wa atm====

OLONE ... (40) 244 414 415 6249 415 892 (40) :x87 AINAMOR-snitsi2-8b00cs

MINITED BILL

EN 10504:5004 3'1

S105/A,V8F1/180-091/1 boo

Caror ACOOD14955

DGI:: 5405876219

Mgt.: 79.370 LB

Catar

Date 04/06/2018

MATERIAL RECEIPT INSPECTION FORM

	: BTAG			10	n 7 n	1 //1A 68-6 :3TAQ				
	D OFF BY:	SIGNE		INSPECTED BY: DAS						
NG SIGNOLI	ENCINEERI					IC 18 INSPECTION				
		Quality Office	ecated in the	sters l	-	ARDNESS / DUROMETER READIN				
						SIZE OF TEST SAMPLE				
a yoa	YVIOG	G) !!!	0111			JAIRJAM 90 39Y				
<u>u anu</u>	I A SUIO				<u></u>					
SO CHECK	A HARDNES					COL SAMPLE PIECE				
						20210 2 10110				
				100	u .					
				N		DOES THIS REQUIRE AN EXTRUSION REPORT				
				1	٨	DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF				
				N	(1)	CORRECT M# ON THE MATERIAL				
			1	N		ORRECT MATERIAL IDENTFICATION				
	6869	50685	# Froll	N	(4)	CORRECT REF # TO LINK CERT				
				-	7	РНОТО ВЕQUIRED				
		1000	WICH	-	(2)	CORRECT MATERIAL PER M-DRAWING CORRECT THICKNESS				
		2000	47.50	_	100	CORRECT GRAIN DIRECTION				
				_	1	CORROSION				
				-		CORRECT FINISH				
				_		SURFACE DAMAGE				
				(N	//					
S.	COMMENT			вск	(CP	DESCRIPTION				
				Я:	NC					
SED:	T SIZE ORDEF	SHEE			1	QUANTITY RECEIVED: QUANTITY INSPECTED: QUANTITY REJECTED:				
					50,	MATERIAL CERT REC'D:				
	DONE DONE DONE DONE DONE DONE DONE DONE	ENCINEERING SIGNOFF DUR A HARDNESS CHECK. A HARDNESS CHECK. COMMENTS COMMENTS T SIZE RECEIVED:	SIGNED OFF BY: ENGINEERING SIGNOFF GUARITY OFF COMMENTS COMMENTS COMMENTS	SHEET SIZE RECEIVED: SHEET SIZE RECEIVED: SHEET SIZE RECEIVED: SHEET SIZE RECEIVED: COMMENTS COMMENTS	SIGNED OFF BY: SHEET SIZE RECEIVED: SHEET SIZE OND PREPORT SHEET SIZE RECEIVED: SHEET SIZE OND PREPORT SHEET SIZE SHEET SIZE SHEET	SIGNED OFF BY: SHEET SIZE ORDERED: SHEET SIZE ORD				

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in



S

ω

0

PURCHASE MATERIAL: 6061-T6/T62/T651 ALUMINUM SHEET OR PLATE SPECIFICATION: OR-A-250/11 OR AMS-QQ-A-250/11 OR AMS-4025 OR 4027 OR ASTM 8209

0

M6061T6S XXX X W.WWW

0

PART NUMBER:

WHERE ".XXX" = THICKNESS (IN INCHES)
AND "W.WWW" = WIDTH (IN INCHES, OPTIONAL, FOR SPECIFYING CUT PLATE)

EG. 0.063" THICK SHEET = M6061T6S.063 EG. 3.5" WIDE BY 0.500" THICK PLATE = M6061T6S.500X3.500

.XXX BY 4FT BY 8FT FOR SHEET

0

PREFERRED SIZE:

国国の公司 2018 MAR 13 0

8

Ch

2

APPROVED CHECKED MFG. APPR. APPROVED DE APPR. DRAWN DESIGN REFORMAT DWG, ADD B209 SPEC (ZN 08-1), REF PAR 08-020A ADD PLATE AND T651 SPEC NEW ISSUE 17.12.13 DS

HAVING NO.

JFS

HAVING NO.

M6061T6S

HS

TITLE

CP 47

6061-T6 SHEET/PLATE SPEC

NO

SHEET 10

SCA DESCRIPTION CP ВΥ 굒 ML SHEET 1 OF 1 01.08.08 17.12.13 DATE 09.07.13 REV. C SCALE

>

B

0

O